

FIGURE 1

1 6 8 9
R P S G R K S S K M Q A F R I

16 21
W D V N Q K T F Y L R N N Q L V A G Y L

36 41
Q G P N V N L E E K I D V V P I E P H A

56 61
L F L G I H G G K M C L S C V K S G D E

76 81 84
T R L Q L E A V N I T D L S E N R K Q D

96 101
K R F A F I R S D S G P T T S F E S A A

116 121
C P G W F L C T A M E A D Q P V S L T N

141 170
M P D E G V M V T K F Y F Q E D E

10 20
Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr

30 40
Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp

50 60
Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu Arg His Cys Leu

70 80
Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val Glu Ile Ser Ser Cys Thr Val Asp

90 100
Arg Asp Thr Val Cys Gly Cys Arg Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu

110 120
Phe Gln Cys Phe Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu

130 140
Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu Asn Glu Cys Val

150 160
Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr Lys Leu Cys Leu Pro Gln Ile Glu

161
Asn

FIG 2




FIG. 3





FIG. 4




FIG. 5



08/482283

138

223-02037-02

901541A

⊕ Shinadzu




FIG. 6

R.P. Purifi

AT= 7

08:32:47

00/00/21


Cmic 1L1m PEG T18
Chy notypa digest

FIG 7




FIG. 8




FIG. 9

FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13








FIGURE 14




A Test of Varying Ratios of C105: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 3.5 K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 10K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 20K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia




FIGURE 15

FIGURE 16


PEGylated TNF- I_{hh} i.v. in rats

FIGURE 17



PEGylated TNF- $I_{\alpha h}$ s.c. in rats

FIGURE 18

SOLUBILITY OF PEGYLATED II-1ra
4/15/91 160MG/ML




FIGURE 19